

AMENDED

Nº 44581

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office OCT 2 1981

Returned to applicant for correction

Corrected application filed OCT 6 1981

Map filed OCT 6 1981

The applicant Carson City

1711 N. Roop, of Carson City,
Street and No. or P.O. Box No. City or Town

Nevada, 89701, hereby make S application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Carson City is a consolidated
municipality.

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1.0 (724 ac.ft./yr. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 SW 1/4 Section 33, T.15 N.,
Describe as being within a 40-acre subdivision of public
R.20 E. or at a point from which the SW corner of said Section 33 bears S.86°
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
20' W. 1,563 feet

6. Place of use All of T.15N., R.20E., M.D.B.&M., E 1/2 of T.15N., R.19E., M.D.B.&M., Sec-
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
tions 2,3,4,E 1/2 5, and that portion of the N 1/2 of the NE 1/4 of Section 6 which
lies within Carson City limits, T.14N., R.20E., M.D.B.&M., Sections 31, 32, 33,
34, 35, W 1/2 36 and those portions of the E 1/2 of Section 36 which lie within Carson
City limits T.16N., R.20E., M.D.B.&M., the S 1/2 of Sections 34, 35, and 36, NE 1/4
36, and those portions of the SW 1/4, NW 1/4 36 and the S 1/2 NE 1/4 35 which lie within
the Carson City limits T.16N., R.19E., M.D.B.&M.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled and cased well with pump and motor
State manner in which water is to be diverted, i.e. diversion structure, ditches and
and pipelines needed to tie to the Carson City municipal well system
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$30,000

10. Estimated time required to construct works 90 days
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This water will be used in the Carson City Municipal Water System

By s/James P. Haddan

James P. Haddan, P.E.
 1711 N. Roop Street
 Carson City, NV 89701

Compared bl/cs dcbr

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 724 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 22, 1986

Proof of completion of work shall be filed before March 22, 1986

Application of water to beneficial use shall be made on or before February 22, 1989

Proof of the application of water to beneficial use shall be filed on or before March 22, 1989

Map in support of proof of beneficial use shall be filed on or before March 22, 1989

Completion of work filed APR 11 1986

Proof of beneficial use filed AUG 24 1992

Cultural map filed

Certificate No. 13600 Issued FEB 19 1993

IN TESTIMONY WHEREOF, I, PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 22nd day of FEBRUARY

A.D. 1984

[Signature]
 State Engineer